



building from waste

info@prettyplastic.nl
www.prettyplastic.nl
@we_are_prettyplastic

SECOND HIGH PRODUCT SHEET

July 2024

PRODUCT SHEET

PRODUCT NAME SECOND HIGH

TECHNICAL DATA

HEIGHT	294mm
WIDTH	294mm
THICKNESS	67mm

NUMBER OF TILES PER M ²	11.1
WEIGHT PER TILE	1.2 kg
WEIGHT PER M ²	13.1 kg

MATERIAL	recycled Polyvinylchlorid (PVC)
----------	---------------------------------

FLAMMABILITY (EN 13501-1:2018)	B-s3, d0
--------------------------------	----------

PRODUCTION TOLERANCES	+/-2%
-----------------------	-------

INSTALLATION

Pretty Plastic tiles should be attached to a structure of aluminium omega-profiles of 40mm-25mm.

We recommend using our specially developed mounting brackets to ensure a solid installation.

PROCESSING


Pretty Plastic can be cut or drilled without producing any splinters.

COLOUR

Pretty Plastic is available in four different colours: ochre, terracotta, green, and grey, each offering three shades. Colours shown serve as representative examples to provide an initial impression. However, due to the inherent characteristics of recycled materials, the delivered product may exhibit slight variations in colour and finish.




MAINTENANCE

Pretty Plastic is maintenance-free and can be cleaned using mild household cleaning products.



PRODUCT SHEET

DIMENSIONS SECOND HIGH




PRODUCT SHEET





INSTALLATION METHODOLOGY SECOND HIGH

 Pretty Plastic

building from waste



Principle of mounting to aluminium profiles



Recommended mounting bracket

PRODUCT SHEET


PRODUCT NAME SECOND HIGH

DARK MEDIUM LIGHT

GREY



b3



b2



b1

GREEN



g3



g2



g1

TERRACOTTA



t3



t2



t1

OCHRE



o3



o2



o1

PRODUCT SHEET

PRODUCT NAME SECOND HIGH

 **Pretty Plastic**
building from waste



240709 V3